



# TRADING, CONTRACTING & SERVICES

مؤسسة قبضة السلطة التجارية التجارة المقاولات والخدمات

AUTHORIZED DEALER OF







STYLE CODE: JCB-001A
STANDARD: ASTM F2413-18 EH
UPPER: BROWN PU ACTION LEATHER

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT







**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

SPORTS LACE 3" STYLE CODE: JCB-001C STANDARD: ASTM F24I3-I8 EH **UPPER: GREY PU ACTION LEATHER** 

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

**AVAILABLE IN SIZE 40-47** 

**AVAILABLE IN SIZE 40-47** 

TOE: COMPOSITE TOE


STANDARD: ASTM F24I3-I8 EH

WITH SLIP AND OIL RESISTANT

**UPPER: BLACK PU ACTION LEATHER** 







CLASSIC HYBRID 6"

STYLE CODE: JCB-004A STANDARD: ASTM F24I3-I8 EH **UPPER: BROWN PU ACTION LEATHER** 

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT







STYLE CODE: JCB-004B

STANDARD: ASTM F24I3-I8 EH & WP (BOOTIE)

**UPPER: BLACK PU ACTION LEATHER** 

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

**AVAILABLE IN SIZE 40-47** 



CLASSIC HYBRID 6"

STYLE CODE: JCB-004C STANDARD: ASTM F2413-18 EH

UPPER: BROWN+BLACK PU ACTION LEATHER

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT


TOE: COMPOSITE TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT







**RUGGED BOOT 6"** 

STYLE CODE: JCB-005A STANDARD: ASTM F24I3-I8 EH UPPER: BROWN PU ACTION LEATHER

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 


WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

**AVAILABLE IN SIZE 40-47** 



RUGGED BOOT 6"

STYLE CODE: JCB-005B STANDARD: ASTM F24I3-I8 EH UPPER: BLACK PU ACTION LEATHER

OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE

WITH SLIP AND OIL RESISTANT


TOE: ALLOY TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT







STYLE CODE: JCB-005C

STANDARD: ASTM F2413-18 EH **UPPER: GREY PU ACTION LEATHER** 

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

**AVAILABLE IN SIZE 40-47** 



### CHUKA 5"

STYLE CODE: JCB-006A

STANDARD: ASTM F24I3-I8 EH &WP(B00TIE)

**UPPER: BROWN PU ACTION LEATHER** 

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT







STYLE CODE: JCB-006B

STANDARD: ASTM F2413-18 EH & WP(BOOTIE)

**UPPER: BLACK PU ACTION LEATHER** 

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: ALLOY TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT

**AVAILABLE IN SIZE 40-47** 



### SPORTY BOOT 6"

STYLE CODE: JCB-007A

STANDARD: ASTM F2413-18 EH &WP(BOOTIE)

**UPPER: BLACK PU ACTION LEATHER** 

**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT


TOE: ALLOY TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT







PULL ON BOOT 6"

STYLE CODE: JCB-008A

STANDARD: AASTM F24I3-I8 EH WATER RESISTANT

**UPPER: BROWN PU ACTION LEATHER** 


**OUTSOLE: LIGHT WEIGHT EVA MIDSOLE AND RUBBER OUTSOLE** 

WITH SLIP AND OIL RESISTANT

TOE: COMPOSITE TOE

INSOLE: ENERGYMASTER-MEMORY FOAM INSOCKS WITH ARCH SUPPORT

PR PLATE: CAROBON FIBER MIDPLATE AND PUNTURE RESISTANT







## **POWERGRIP TRADING EST**

TRADING, CONTRACTING & SERVICES

مؤسسة قبضة السلطة التجارية التجارة المقاولات والخدمات

AUTHORIZED DEALER OF

